



The Brighter Choice



T8 LED Tube Range

V.01

T8 LED
Luminous Efficiency Redefined



2'

125lm/W



T8 LED Tube


AL-T82LED8AB/40

8W

≤ 1000
lumens



Dimensions



Features

- Type A and B – works with or without a ballast, 3 in one ballast compatible
- Single or Double Ended Ballast Bypass
- Plug and Play direct with ballast or Double-ended ballast bypass for Direct Wire
- Shatterproof design meets NSF requirements.
- Life span 50,000hrs
- 5 Years Warranty

Description

The new range of LED T8 Tubes makes it very easy to make the change from fluorescent to LED with up to a 50% saving in energy usage. The tubes can be used by simply removing the old fluorescent and replacing with the new LED Tube. further energy savings can be achieved if the ballast is removed from the circuit as the ALL LED T8 Tube range can be powered directly, reducing replacement and maintenance costs. Other benefits include, no mercury and an extra-long lamp life.

IES files available on the ALL LED website.



4'

150lm/W

4'

150lm/W



T8 LED Tube

AL-T8LED12AB/** Range

12W

≤1800
lumens



T8 LED Tube

AL-EMT815/** Range


EM
Emergency

15W

≤1800
lumens



Dimensions



Compliance & Approvals



Type	Range	Color Temp	Voltage	Watt	Lumens	Beam	Lifetime	Lamp Base
AL-T82LED8AB/40	2'	4000K	100-277v AC	8w	1000 lm	320°	50000 hrs	G13
AL-T8LED12AB/35	4'	3500K	120-277v AC	12w	1800 lm	320°	50000 hrs	G13
AL-T8LED12AB/40	4'	4000K	120-277v AC	12w	1800 lm	320°	50000 hrs	G13
AL-T8LED12AB/50	4'	5000K	120-277v AC	12w	1800 lm	320°	50000 hrs	G13
AL-EMT815/35	4' EM	3500K	100 - 277v AC	15w	1800lm	320°	50000 hrs	G13
AL-EMT815/40	4' EM	4000K	100-277v AC	15w	1800lm	320°	50000 hrs	G13
AL-EMT815/50	4' EM	5000K	100-277v AC	15w	1800lm	320°	50000 hrs	G13

T8 LED
Luminous Efficiency Redefined

T8 LED Tubes



USA Sales

ALL-LED USA LLC 12035 34th St N, Suite 2,
St Petersburg, FL 33716

Tel: 727 524 4270
Fax: 727 290 3914
Email: sales@all-ledusa.com

Warranty:

For full warranty information please visit:
Website: www.all-ledusa.com

V.01: 2019